تقرير معايير جودة الخدمة لشركة الاتصالات السعودية

Report on stc Quality of Service Indicators





		General Key Performance Indica	tors					
	Measurement KPI value							
KPI name	Unit	Required Statistics and description	4th month	5th month	6th month	2nd Quarter	Target value for quarter	
			0.6	0.2	0.1	0.3		
Supply Time	Time	fastest 50 % of orders are completed (in days) fastest 90 % of orders are completed (in days)	1.3	0.2	0.1	0.9	7 days for 90% of requests	
		fastest 90 % of orders are completed (in days)	1.6	0.8 1	0.7	1.1		
		fastest 99 % of orders are completed (in days)	1.9	1.3	1.2	1.4		
	Percentage %	percentage of fault reports per fixed access line	3.47	3.26	3.64	3.4		
Fault Rate	Number	average number of fixed access lines	1,337,581	1,338,868	1,335,347	1,337,265	< 5%	
Fault Repair Time	Time	fastest 80 % of repairing valid faults on fixed access lines(in hours)	10.28	13.12	12.33	11.91	Within 24 hours for 90% of faults	
		fastest 90 % of repairing valid faults on fixed access lines(in hours)	14.25	16.64	15.63	15.51		
		fastest 95 % of repairing valid faults on fixed access lines(in hours)	21.18	24.65	22.79	22.87		
		The average time to respond to requests received through electronic channels, including e-mail, social media and others (in hours)	0:11:36	0:04:16	0:02:58	0:06:23	within 60 sec for 85% of voice calls	
Response Time for	Time	The average time to respond to requests received through voice calls (in seconds)	0:00:19	0:00:05	0:00:13	0:00:12		
Reply to Requests	Time	Time to respond to the fastest 85% of requests received through voice calls (in seconds)	0.19	0.00	0.06	2.17		
		Key Performance Indicators Applied on Fi	xed Networl	ks				
1/01	Measurement	KPI value						
KPI name	method	Required Statistics and description	4th month	5th month	6th month	2nd Quarter	Target value for quarter	
	D	unsuccessful calls for national calls	0.241%	0.192%	0.142%	0.192%		
Unsuccessful Call Ratio	Percentage %	unsuccessful calls for international calls	0.060%	0.200%	0.100%	0.120%	< 1%	
Unsuccessiui Cali Ratio	Number	Total number of national calls	33,264,260	38,493,204	30,471,326	34,076,263		
	Number	Total number of International calls	3,383,801	2,989,565	2,702,283	3,025,217		
Dropped Call Rate	Percentage %	dropped calls, calculated from all the calls in the period	0.017%	0.003%	0.002%	0.007%	< 1%	
		The mean value of call setup time for national calls (in seconds)		1733.833	2.76			
		The time in which the fastest 95 % of national calls are set-up (in seconds)	1550.500			2.87		
	Time	The time which the fastest 99% of national calls are set-up (in seconds)					95 % in < 7 sec;	
Call Setup Time		The mean value of call setup time for international calls (in seconds)		2.87				
•		The time which the fastest 95 % of international calls are set-up (in seconds)	2.97				99% in <10 sec	
		The time which the fastest 99 % of international calls are set-up (in seconds)	22.264.260	20, 402, 204				
	Number	The total number of national calls The total Number of integrational calls	33,264,260	38,493,204	30,471,326 2,702,283	34,076,263 3,025,217		
		The total Number of international calls This value is obtained through special tool that analyzes the sound after it is	3,383,801	2,989,565	2,702,283	3,025,217		
Speech Connection Quality	Mean Opinion Score(MOS)	transferred between the two ends of the connection	4.04	4.15	4.13	4.11	> 3,75 MOS	
		Key Performance Indicators Applied on Mo	bile Networ	ks				
		A. OSS Counters Measurment	S					
KPI name	Measurement	KPI value	Target value for quarter					
NEI Haille	method	Required Statistics and description	4th month	5th month	6th month	2nd Quarter	raiget value for quarter	
Unsuccessful Call Ratio	Percentage %	Unsuccessful calls, calculated from all the call attempts in the period	0.23%	0.26%	0.27%	0.25%	< 1%	
Dropped Call Ratio	Percentage %	dropped calls, calculated from all the calls in the period	0.22%	0.24%	0.23%	0.23%	< 1%	
		The mean value of call setup time (in seconds)	4.402913967	4.46	4.53	4.46	95 % in < 7 sec;	
Call Setup Time	Time	The time which the fastest 95 % of calls are set-up (in seconds)	3.940596163	3.93	3.96	3.94		
		The time which the fastest 99 % of calls are set-up (in seconds)	4.217463754	4.25	4.32	4.26	99% in <10 sec	
	Number	Total number of calls	113,446,268	109,359,314	112,224,668	111,676,750		

	Key Performance Indicators Applied to Internet Access (Fiber)						
Package	KPI name	Measurement	KPI value	Target value for quarter			
		method	Required Statistics and description	Q2	6		
		Mbps	The highest 95 % of download speed	84.90			
			The lowest 5 % of download speed 27.01 The mean value of download speed 82.00				
			The median value of download speed	94.24			
	Data Transmission Speed		The standard deviation of download speed	29.14	None		
<u> </u>	Data Transmission specu		The highest 95 % of upload speed	18.72	None		
2			The lowest 5 % of upload speed	5.80			
100 MB			The mean value of upload speed	18.07			
10			The median value of upload speed	19.84			
			The standard deviation of upload speed	7.27			
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in \mathbf{x}^{10-3})	cannot be provided	None		
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	11.30	None		
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	93.88			
		Mbps	The highest 95 % of download speed	153.41			
			The lowest 5 % of download speed	59.23			
			The mean value of download speed	148.70			
			The median value of download speed	146.86			
	Data Transmission Speed		The standard deviation of download speed	48.39	None		
18			The highest 95 % of upload speed	57.93	None		
200 MB			The lowest 5 % of upload speed	17.87			
			The mean value of upload speed	55.92			
			The median value of upload speed	56.41			
			The standard deviation of upload speed	22.35			
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in \mathbf{x}^{10-3})	cannot be provided	None		
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	11.23	None		
	transmission time)	Time	The standard deviation of the delay (jitter) (in milliseconds)	89.71			

	Key Performance Indicators Applied to Internet Access (Copper)						
Package	KPI name	Measurement	KPI value	KPI value			
		method	Required Statistics and description	Q2	Target value for quarter		
		Mbps	The highest 95 % of download speed	6.24			
			The lowest 5 % of download speed	0.66			
			The mean value of download speed	5.94			
			The median value of download speed	6.44			
	Data Transmission Speed		The standard deviation of download speed	2.71	None		
B			The highest 95 % of upload speed	0.53	None		
MB			The lowest 5 % of upload speed	0.06			
10			The mean value of upload speed	0.51			
1			The median value of upload speed	0.35			
			The standard deviation of upload speed	1.92			
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in $\mathbf{x}^{10\text{-}3}$)	cannot be provided	None		
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	68.96	None		
	transmission time)	1 ime	The standard deviation of the delay (jitter) (in milliseconds)	235.41	None		
		Mbps	The highest 95 % of download speed	8.44	None		
			The lowest 5 % of download speed	0.62			
			The mean value of download speed	8.04			
			The median value of download speed	8.03			
	Data Transmission Speed		The standard deviation of download speed	4.5			
8			The highest 95 % of upload speed	0.69			
20 MB			The lowest 5 % of upload speed	0.05			
			The mean value of upload speed	0.66			
			The median value of upload speed	0.56			
			The standard deviation of upload speed	2.11			
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in \mathbf{x}^{10-3})	cannot be provided	None		
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	62.2	None		
	transmission time)	Time	The standard deviation of the delay (jitter) (in milliseconds)	225.87	TORC		

Thank you!

