تقرير معايير جودة الخدمة لشركة الاتصالات السعودية

Report on stc Quality of Service Indicators



		General Key Performance Indicato	rs					
KPI name	Measurement	KPI value					Target value for quarter	
	Unit	Required Statistics and description	10th month	11th month	12 month	4th Quarter		
Supply Time		fastest 50 % of orders are completed (in days)	0.1	0.4	0.1	0.1	7 days for 90% of requests	
	Time	fastest 90 % of orders are completed (in days)	0.6	0.6	0.6	0.6		
		fastest 95 % of orders are completed (in days)	0.7	0.7	0.7	0.7		
		fastest 99 % of orders are completed (in days)	1	0.9	0.9	0.9		
	Percentage %	percentage of fault reports per fixed access line	3.72%	3.43%	3.65%	3.60%	. 59/	
Fault Rate	Number	average number of fixed access lines	1,539,101	1,526,745	1,516,937	1,527,594	< 5%	
Fault Repair Time		fastest 80 % of repairing valid faults on fixed access lines(in hours)	14.34	15.01	13.71	14.35	Within 24 hours for 90% of faults	
	Time	fastest 90 % of repairing valid faults on fixed access lines(in hours)	21	23.25	19.49	21.25		
	THIC	fastest 95 % of repairing valid faults on fixed access lines(in hours)	30.32	33.12	29.82	31.09		
Response Time for Reply to Requests	Time	The average time to respond to requests received through electronic channels, including e- mail, social media and others (in hours)	0:03:13	0:00:37	0:00:57	0:01:33	within 60 sec for 85% of voice calls	
		The average time to respond to requests received through voice calls (in seconds)	0:00:16	0:00:35	0:00:37	0:00:29		
		Time to respond to the fastest received through voice calls (in seconds) (in seconds)	0.23	3.63	7.69	3.85		
Key Performance Indicators Applied on Fixed Networks								
KPI name	Measurement	KPI value				Target value for quarter		
Ki i hume	method	Required Statistics and description	10th month	11th month	12 month	4th Quarter	raiget talde for quarter	
	Percentage %	unsuccessful calls for national calls	0.26%	0.22%	0.20%	0.227%		
Unsuccessful Call Ratio		unsuccessful calls for international calls	0.75%	0.55%	0.79%	0.697%	<1%	
	Number	Total number of national calls	50,988,657	50,193,300	50,917,895	50,699,951	< 1 70	
		Total number of International calls	2,859,417	2,722,448	2,665,377	2,749,081		
Dropped Call Rate	Percentage %	dropped calls, calculated from all the calls in the period	0.12%	0.10%	0.10%	0.11%	< 1%	
	Time	The mean value of call setup time for national calls (in seconds)				1.260		
		The time in which the fastest 95 % of national calls are set-up (in seconds)	1.28	1.25	1.25			
		The time which the fastest 99% of national calls are set-up (in seconds)					95 % in < 7 sec;	
Call Setup Time		The mean value of call setup time for international calls (in seconds)		1.1	1.15	1.16		
our setup Tine		The time which the fastest 95 % of international calls are set-up (in seconds)	1.23				99% in <10 sec	
		The time which the fastest 99 % of international calls are set-up (in seconds)						
	Number	The total number of national calls	50,988,657	50,193,300	50,917,895	50,699,951		
	i tulliber	The total Number of international calls	2,859,417	2,722,448	2,665,377	2,749,081		
Speech Connection Quality	Mean Opinion Score(MOS)	This value is obtained through special tool that analyzes the sound after it is transferred between the two ends of the connection	4.07	4.00	3.98	4.017	> 3,75 MOS	
		Key Performance Indicators Applied on Mobi	le Networks	;				
		A. OSS Counters Measurments						
KPI name	Measurement	KPI value			Target value for quarter			
	method	Required Statistics and description	10th month	11th month	12 month	4th Quarter		
Unsuccessful Call Ratio	Percentage %	Unsuccessful calls, calculated from all the call attempts in the period	0.26%	0.27%	0.27%	0.27%	<1%	
Dropped Call Ratio	Percentage %	dropped calls, calculated from all the calls in the period	0.25%	0.26%	0.25%	0.25%	<1%	
Call Setup Time		The mean value of call setup time (in seconds)	4.80	4.85	4.84	4.83	95 % in < 7 sec;	
	Time	The time which the fastest 95 % of calls are set-up (in seconds)	4.26	4.24	4.27	4.26		
		The time which the fastest 99 % of calls are set-up (in seconds)	4.59	4.62	4.64	4.62	99% in <10 sec	
	Number	Total number of calls	113,029,137	116,390,247	121,283,831	116,901,072		

	Key Performance Indicators Applied to Internet Access (Fiber)					
Package	KPI name	Measurement	KPI value		Target value for quarter	
		method	Required Statistics and description	Q4		
		Mbps	The highest 95 % of download speed	88.02		
			The lowest 5 % of download speed	50.01		
			The mean value of download speed	86.09		
			The median value of download speed	92.32		
	Data Transmission Speed		The standard deviation of download speed	15.52	None	
MB	Data ITanshiission Speeu		The highest 95 % of upload speed	18.75	none	
100 N			The lowest 5 % of upload speed	9.98		
			The mean value of upload speed	18.34		
10			The median value of upload speed	18.93		
			The standard deviation of upload speed	4.32		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in x ¹⁰⁻³)	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	13.51	None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	73.11	None	
	Data Transmission Speed	Mbps	The highest 95 % of download speed	174.82	None	
			The lowest 5 % of download speed	71.84		
			The mean value of download speed	169.61		
			The median value of download speed	183.78		
			The standard deviation of download speed	35.30		
200 MB			The highest 95 % of upload speed	69.01		
			The lowest 5 % of upload speed	21.54		
			The mean value of upload speed	66.81		
			The median value of upload speed	73.16		
			The standard deviation of upload speed	15.50		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in x ¹⁰⁻³)	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	12.89	None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	79.28	none	

	Key Performance Indicators Applied to Internet Access (Copper)					
Package	KPI name	Measurement KPI value			Target value for quarter	
		method	Required Statistics and description	Q4		
		Mbps	The highest 95 % of download speed	6.29		
			The lowest 5 % of download speed	0.67		
			The mean value of download speed	6		
			The median value of download speed	6.35		
	Data Transmission Speed		The standard deviation of download speed	2.73	None	
ß	Data 11 anshiission speeu		The highest 95 % of upload speed	2.12	None	
10 MB			The lowest 5 % of upload speed	0.05		
			The mean value of upload speed	2.01		
			The median value of upload speed	0.37		
			The standard deviation of upload speed	8.05		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in x ¹⁰⁻³)	cannot be provided	None	
	Delay (One-way	Time	Time The mean values of the delay (in milliseconds)	63.79	None	
	transmission time)	Time	The standard deviation of the delay (jitter) (in milliseconds)	269.62	None	
	Data Transmission Speed	Mbps	The highest 95 % of download speed	8.7	None	
			The lowest 5 % of download speed	0.7		
			The mean value of download speed	8.3		
			The median value of download speed	7.91		
20 MB			The standard deviation of download speed	4.93		
			The highest 95 % of upload speed	3.31		
			The lowest 5 % of upload speed	0.06		
			The mean value of upload speed	3.15		
			The median value of upload speed	0.62		
			The standard deviation of upload speed	9.83		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in x^{10-3})	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	56.06	None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	226.43	TOR	

Thank you!

SiC