تقرير معايير جودة الخدمة لشركة الاتصالات السعودية

Report on STC

Quality of Service Indicators





KPI name	Measurement	KPI value					Target value for quarter	
Kirname	Unit	Required Statistics and description 7th month 8th month 9th month 3rd		3rd Quarter				
		fastest 50 % of orders are completed (in days)	0	0	0.5	0.09		
Supply Time	773	fastest 90 % of orders are completed (in days)	0.3	0.6	1.1	0.7	7 days for 90% of requests	
	Time	fastest 95 % of orders are completed (in days)	0.4	0.8	1.4	0.9		
		fastest 99 % of orders are completed (in days)	0.6	1.1	1.7	1.2		
E KD (	Percentage %	percentage of fault reports per fixed access line	4.82%	5.33%	5.48%	5.21%	. 50/	
Fault Rate	Number	average number of fixed access lines		1,666,205	1,670,922	1,675,511	< 5%	
		fastest 80 % of repairing valid faults on fixed access lines(in hours)	13.69	69 12.9 14.37		13.65	*****	
Fault Repair Time	Time	fastest 90 % of repairing valid faults on fixed access lines(in hours)	19.22	18.78	20.72	19.57	Within 24 hours	
•		fastest 95 % of repairing valid faults on fixed access lines(in hours)	29.35	29.5	30.72	29.86	for 90% of faults	
		The average time to respond to requests received through electronic channels, including e-mail,	0.05.55	0.06.12	0.06.12	0.04.05		
Response Time for	773	social media and others (in hours)	0:05:57	0:05:57		within 60 sec		
Reply to Requests	Time	The average time to respond to requests received through voice calls (in seconds)	0:00:16	0:00:07	0:00:09	0:00:11	for 85% of voice calls	
		Time to respond to the fastest 85% of requests received through voice calls (in seconds)	0.22	0	0	0.07	<u> </u>	
Key Performance Indicators Applied on Fixed Networks								
	Measurement	KPI value						
KPI name							Target value for quarter	
	method	Required Statistics and description	7th month	8th month	9th month	3rd Quarter		
	Parantaga %	unsuccessful calls for national calls	0.253%	0.213%	0.261%	0.242%		
Unsuccessful Call Ratio	Percentage %	unsuccessful calls for international calls	0.147%	0.060%	0.008%	0.072%	- 10/	
Onsuccessiui Can Rado	Number	Total number of national calls	81,235,241	79,077,386	81,234,121	80,515,583	<1%	
		Total number of International calls	4,010,283	4,446,923	4,313,410	4,256,872		
Dropped Call Rate	Percentage %	dropped calls, calculated from all the calls in the period	0.105%	0.057%	0.002%	0.05%	< 1%	
		The mean value of call setup time for national calls (in seconds)		3,309	3,418	3,386		
	Time	The time in which the fastest 95 % of national calls are set-up (in seconds)	3,433					
		The time which the fastest 99% of national calls are set-up (in seconds)					95 % in < 7 sec;	
Call Setup Time		The mean value of call setup time for international calls (in seconds)		4.32	4.36	4.28		
Can Setup Time		The time which the fastest 95 % of international calls are set-up (in seconds)	4.18				99% in <10 sec	
		The time which the fastest 99 % of international calls are set-up (in seconds)						
	Number	The total number of national calls	81,235,241	79,077,386	81,234,121	80,515,583		
		The total Number of international calls	4,010,283	4,446,923	4,313,410	4,256,872		
Speech Connection Quality	Mean Opinion Score(MOS)	This value is obtained through special tool that analyzes the sound after it is transferred between	4.19	4.19	4.19	4.19	> 3.75 MOS	
Speech Connection Quanty	Weari Opinion Score(WOS)	the two ends of the connection			4.13	4.13	> 3,73 MOS	
		Key Performance Indicators Applied on Mobile	e Networl	KS				
		A. OSS Counters Measurments						
KPI name	Measurement	KPI value	Target value for quarter					
	method	Required Statistics and description	4th month	5th month	6th month	2nd Quarter	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Unsuccessful Call Ratio	Percentage %	Unsuccessful calls, calculated from all the call attempts in the period	0.22%	0.22%	0.22%	0.22%	< 1%	
Dropped Call Ratio	Percentage %	dropped calls, calculated from all the calls in the period	0.30%	0.31%	0.30%	0.30%	< 1%	
11		The mean value of call setup time (in seconds)	4.96	4.73	4.63	4.77	95 % in < 7 sec;	
Call Setup Time	Time	The time which the fastest 95 % of calls are set-up (in seconds)	4.67	4.49	4.38	4.51	,	
		The time which the fastest 99 % of calls are set-up (in seconds)	4.93	4.69	4.58	4.73	99% in <10 sec	
<u> </u>		1 \			94,955,985	106,298,223		
	Number	Total number of calls	112,553,572	111,385,112	94,955,965	100,298,223		

**General Key Performance Indicators** 

	K	ley Performa	nce Indicators Applied to Internet Ac	ccess (Fiber)		
Package	KPI name	Measurement	KPI value		Target value for quarter	
		method	Required Statistics and description	Q3		
		Mbps	The highest 95 % of download speed	39433.21		
			The lowest 5 % of download speed	1175.16		
			The mean value of download speed	37511.03		
			The median value of download speed	22803		
	Data Transmission Speed		The standard deviation of download speed	48732.08	None	
8	Data Transmission Speed		The highest 95 % of upload speed	10933.07	None	
MB			The lowest 5 % of upload speed	106.43		
25			The mean value of upload speed	10393.89		
7			The median value of upload speed	914		
			The standard deviation of upload speed	20154.02		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in $\mathbf{x}^{10-3}$ )		None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	18.05	None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	82.14	None	
	Data Transmission Speed	Mbps	The highest 95 % of download speed	47220.47		
			The lowest 5 % of download speed	1660.11		
			The mean value of download speed	44940.88		
			The median value of download speed	40811.5		
			The standard deviation of download speed	41067.26	None	
<b>B</b>			The highest 95 % of upload speed	14547.78	None	
Σ			The lowest 5 % of upload speed	250.47		
50 MB			The mean value of upload speed	13832.78		
			The median value of upload speed	9696		
			The standard deviation of upload speed	17243.12		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in $\mathbf{x}^{10-3}$ )		None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	17.49	None	
	transmission time)	Tille	The standard deviation of the delay (jitter) (in milliseconds)	89.65	Tione	

	Key Performance Indicators Applied to Internet Access (Copper)					
Package	KPI name	Measurement KPI value			Target value for quarter	
		method	Required Statistics and description	Q3	<b>3</b>	
		Mbps	The highest 95 % of download speed	41522.67		
			The lowest 5 % of download speed	906.23		
			The mean value of download speed	39491.44		
			The median value of download speed	9150		
	Data Transmission Speed		The standard deviation of download speed	58518.76	None	
8	Data Transmission speed		The highest 95 % of upload speed	15011.68	None	
MB			The lowest 5 % of upload speed	78.06		
10			The mean value of upload speed	14271.56		
<b>H</b>			The median value of upload speed	931		
			The standard deviation of upload speed	23840.49		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in $\mathbf{x}^{10-3}$ )		None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	49.376	None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	177.164	None	
	Data Transmission Speed	ed Mbps	The highest 95 % of download speed	39838.02	None	
			The lowest 5 % of download speed	975.83		
			The mean value of download speed	37895.01		
			The median value of download speed	11971		
20 MB			The standard deviation of download speed	55008.78		
			The highest 95 % of upload speed	14554.31		
			The lowest 5 % of upload speed	96.48		
			The mean value of upload speed	13833.55		
			The median value of upload speed	948		
			The standard deviation of upload speed	23048.13		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in $\mathbf{x}^{10-3}$ )		None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	46.18	None	
	transmission time)	Time	The standard deviation of the delay (jitter) (in milliseconds)	162.20		

## Shukran!



