تقرير معايير جودة الخدمة لشركة الاتصالات السعودية

## Report on STC Quality of Service Indicators



|                           |                         | General Key Performance Indicat   | ors                      |            |            |             |  |  |
|---------------------------|-------------------------|---|--------------------------|------------|------------|-------------|--|--|
| KPI name                  | Measurement KPI value   |   |                          |            |            |             | Target value for guarter                     |  |
|                           | Unit                    | Required Statistics and description   | 10th month               | 11th month | 12 month   | 4th Quarter | <ul> <li>Target value for quarter</li> </ul> |  |
| Supply Time               |                         | fastest 50 % of orders are completed (in days)  | 0                        | 0.1        | 0          | 0           | 7 days for 90% of requests                   |  |
|                           | Time                    | fastest 90 % of orders are completed (in days)  | 0.7                      | 0.8        | 0.6        | 0.7         |  |  |
|                           |                         | fastest 95 % of orders are completed (in days)  | 0.9                      | 1          | 0.8        | 0.9         |  |  |
|                           |                         | fastest 99 % of orders are completed (in days)  | 1.2                      | 1.5        | 1          | 1.3         |  |  |
| Fault Rate                | Percentage %            | percentage of fault reports per fixed access line   | 3.93%                    | 3.42%      | 3.47%      | 3.61%       |  |  |
|                           | Number                  | average number of fixed access lines  | 1,566,998                | 1,552,237  | 1,534,981  | 1,551,405   | < 5%   |  |
| Fault Repair Time         |                         | fastest 80 % of repairing valid faults on fixed access lines(in hours)  | 13.38                    | 12.90      | 12.13      | 12.80       | Within 24 hours<br>for 90% of faults         |  |
|                           | Time                    | fastest 90 % of repairing valid faults on fixed access lines(in hours)  | 18.64                    | 17.69      | 16.34      | 17.56       |  |  |
| -                         |                         | fastest 95 % of repairing valid faults on fixed access lines(in hours)  | 26.91                    | 25.95      | 24.29      | 25.72       |  |  |
|                           |                         | The average time to respond to requests received through electronic channels, including e-  | 0 01 12                  | 0.01.16    | 0.01.50    | 0.01.04     |  |  |
| <b>Response Time for</b>  | Time                    | mail, social media and others (in hours)  | 0:01:13                  | 0:01:16    | 0:01:50    | 0:01:24     | within 60 sec                                |  |
| Reply to Requests         | Time                    | The average time to respond to requests received through voice calls (in seconds)   | 0:00:14                  | 0:00:16    | 0:00:10    | 0:00:13     | for 85% of voice calls                       |  |
|                           |                         | Time to respond to the fastest 85% of requests received through voice calls (in seconds)  | 0.00                     | 0.00       | 0.00       | 0.00        |  |  |
|                           |                         | Key Performance Indicators Applied on Fix   | xed Netwo                | orks       |            |             |  |  |
| KPI name                  | Measurement             | KPI value   | Target value for quarter |            |            |             |  |  |
|                           | method                  | Required Statistics and description   | 10th month               | 11th month | 12 month   | 4th Quarter |  |  |
|                           |                         | unsuccessful calls for national calls   | 0.158%                   | 0.190%     | 0.189%     | 0.179%      |  |  |
|                           | Percentage %            | unsuccessful calls for international calls  | 0.027%                   | 0.040%     | 0.029%     | 0.032%      |  |  |
| Unsuccessful Call Ratio   | Number                  | Total number of national calls  | 85,417,745               | 79,568,095 | 74,444,551 | 79,810,130  | < 1%   |  |
|                           |                         | Total number of International calls   | 3,858,491                | 4,177,171  | 3,946,585  | 3,994,082   |  |  |
| Dropped Call Rate         | Percentage %            | dropped calls, calculated from all the calls in the period  | 0.011%                   | 0.020%     | 0.027%     | 0.02%       | < 1%   |  |
|                           | Time                    | The mean value of call setup time for national calls ( in seconds)  |                          |            |            | 3,101       | 95 % in < 7 sec;                             |  |
|                           |                         | The time in which the fastest 95 % of national calls are set-up (in seconds)  | 3.112                    | 3,099      | 3,094      |             |  |  |
|                           |                         | The time which the fastest 99% of national calls are set-up (in seconds)  | ĺ.                       |            |            |             |  |  |
|                           |                         | The mean value of call setup time for international calls (in seconds)  |                          | 4.36       | 4.39       | 4.39        |  |  |
| Call Setup Time           |                         | The time which the fastest 95 % of international calls are set-up (in seconds)  | 4.41                     |            |            |             | 99% in <10 sec                               |  |
|                           |                         | The time which the fastest 99 % of international calls are set-up (in seconds)  |                          |            |            |             |  |  |
|                           | Number                  | The total number of national calls  | 85,417,745               | 79,568,095 | 74,444,551 | 79,810,130  |  |  |
|                           |                         | The total Number of international calls   | 3,858,491                | 4,177,171  | 3,946,585  | 3,994,082   |  |  |
| Speech Connection Quality | Mean Opinion Score(MOS) | This value is obtained through special tool that analyzes the sound after it is transferred<br>between the two ends of the connection | 4.04                     | 3.99       | 3.98       | 4.00        | > 3,75 MOS                                   |  |
|                           |                         | Key Performance Indicators Applied on Mo  | bile Netw                | orks       |            |             |  |  |
|                           |                         | A. OSS Counters Measurments   |                          |            |            |             |  |  |
| KPI name                  | Measurement             | Measurement KPI value   |                          |            |            |             | Target value for quarter                     |  |
|                           | method                  | Required Statistics and description   | 10th month               | 11th month | 12 month   | 4th Quarter | <b>0 1 1 1 1</b>                             |  |
| Unsuccessful Call Ratio   | Percentage %            | Unsuccessful calls, calculated from all the call attempts in the period   | 0.18%                    | 0.16%      | 0.16%      | 0.17%       | <1%  |  |
| Dropped Call Ratio        | Percentage %            | dropped calls, calculated from all the calls in the period  | 0.25%                    | 0.26%      | 0.26%      | 0.26%       | < 1%   |  |
|                           |                         | The mean value of call setup time (in seconds)  | 4.71                     | 4.73       | 4.70       | 4.71        | 95 % in < 7 sec;                             |  |
| Call Setup Time           | Time                    | The time which the fastest 95 % of calls are set-up (in seconds)  | 4.53                     | 4.53       | 4.51       | 4.52        |  |  |
|                           |                         |   |                          |            |            |             |  |  |
| Call Setup Time           |                         | The time which the fastest 99 % of calls are set-up (in seconds)  | 4.7                      | 4.72       | 4.69       | 4.70        | 99% in <10 sec                               |  |

| Key Performance Indicators Applied to Internet Access (Fiber) |   |              |  |                    |                          |  |
|---|---|--------------|--|--------------------|--------------------------|--|
| Package   | KPI name                                | Measurement  | asurement KPI value  |                    | Target value for quarter |  |
|   |   | method       | <b>Required Statistics and description</b>                     | Q4                 |                          |  |
|   |   | Mbps         | The highest 95 % of download speed                             | 77.08              |                          |  |
|   |   |              | The lowest 5 % of download speed                               | 3.57               |                          |  |
|   |   |              | The mean value of download speed                               | 73.40              |                          |  |
|   |   |              | The median value of download speed                             | 78.44              |                          |  |
|   | Data Transmission Speed                 |              | The standard deviation of download speed                       | 47.63              | None                     |  |
| <b>B</b>  | Data Transmission Speed                 |              | The highest 95 % of upload speed                               | 32.59              | none                     |  |
| 100 MB  |   |              | The lowest 5 % of upload speed                                 | 2.17               |                          |  |
| 0   |   |              | The mean value of upload speed                                 | 31.07              |                          |  |
| 10  |   |              | The median value of upload speed                               | 19.58              |                          |  |
|   |   |              | The standard deviation of upload speed                         | 30.20              |                          |  |
|   | Unsuccessful Data<br>Transmission Ratio | Percentage % | Percentage of unsuccessful data transmission (in $x^{10-3}$ )  | cannot be provided | None                     |  |
|   | Delay (One-way<br>transmission time)    | Time         | The mean values of the delay (in milliseconds)                 | 11.42              | None                     |  |
|   |   |              | The standard deviation of the delay (jitter) (in milliseconds) | 72.32              | None                     |  |
|   | Data Transmission Speed                 | Mbps         | The highest 95 % of download speed                             | 110.29             | None                     |  |
|   |   |              | The lowest 5 % of download speed                               | 3.80               |                          |  |
|   |   |              | The mean value of download speed                               | 104.96             |                          |  |
|   |   |              | The median value of download speed                             | 89.08              |                          |  |
| 200 MB  |   |              | The standard deviation of download speed                       | 75.75              |                          |  |
|   |   |              | The highest 95 % of upload speed                               | 74.60              |                          |  |
|   |   |              | The lowest 5 % of upload speed                                 | 2.19               |                          |  |
|   |   |              | The mean value of upload speed                                 | 70.97              |                          |  |
|   |   |              | The median value of upload speed                               | 70.38              |                          |  |
|   |   |              | The standard deviation of upload speed                         | 55.37              |                          |  |
|   | Unsuccessful Data<br>Transmission Ratio | Percentage % | Percentage of unsuccessful data transmission (in $x^{10-3}$ )  | cannot be provided | None                     |  |
|   | Delay (One-way                          | Time         | The mean values of the delay (in milliseconds)                 | 12.74              | None                     |  |
|   | transmission time)                      | 11110        | The standard deviation of the delay (jitter) (in milliseconds) | 99.26              | TOR                      |  |

|         | Key Performance Indicators Applied to Internet Access (Copper) |              |  |                    |                          |  |
|---------|--|--------------|--|--------------------|--------------------------|--|
| Package | KPI name   | Measurement  | KPI value  |                    | Target value for quarter |  |
|         |  | method       | <b>Required Statistics and description</b>                     | Q4                 |                          |  |
|         |  | Mbps         | The highest 95 % of download speed                             | 6.28               |                          |  |
|         |  |              | The lowest 5 % of download speed                               | 0.71               |                          |  |
|         |  |              | The mean value of download speed                               | 6.00               |                          |  |
|         |  |              | The median value of download speed                             | 6.48               |                          |  |
|         | Data Transmission Speed  |              | The standard deviation of download speed                       | 2.73               | None                     |  |
| B       | Data Transmission Speed  |              | The highest 95 % of upload speed                               | 0.56               | INOIRE                   |  |
| 10 MB   |  |              | The lowest 5 % of upload speed                                 | 0.05               |                          |  |
|         |  |              | The mean value of upload speed                                 | 0.53               |                          |  |
| -       |  |              | The median value of upload speed                               | 0.36               |                          |  |
|         |  |              | The standard deviation of upload speed                         | 1.68               |                          |  |
|         | Unsuccessful Data<br>Transmission Ratio                        | Percentage % | Percentage of unsuccessful data transmission (in $x^{10-3}$ )  | cannot be provided | None                     |  |
|         | Delay (One-way   | Time         | The mean values of the delay (in milliseconds)                 | 67.19              | None                     |  |
|         | transmission time)   |              | The standard deviation of the delay (jitter) (in milliseconds) | 230.22             | none                     |  |
|         | Data Transmission Speed  | Mbps         | The highest 95 % of download speed                             | 8.86               | None                     |  |
|         |  |              | The lowest 5 % of download speed                               | 0.87               |                          |  |
|         |  |              | The mean value of download speed                               | 8.46               |                          |  |
|         |  |              | The median value of download speed                             | 8.31               |                          |  |
|         |  |              | The standard deviation of download speed                       | 4.41               |                          |  |
| B       |  |              | The highest 95 % of upload speed                               | 0.79               |                          |  |
| Σ       |  |              | The lowest 5 % of upload speed                                 | 0.06               |                          |  |
| 20 MB   |  |              | The mean value of upload speed                                 | 0.76               |                          |  |
|         |  |              | The median value of upload speed                               | 0.53               |                          |  |
|         |  |              | The standard deviation of upload speed                         | 2.53               |                          |  |
|         | Unsuccessful Data<br>Transmission Ratio                        | Percentage % | Percentage of unsuccessful data transmission (in $x^{10-3}$ )  | cannot be provided | None                     |  |
|         | Delay (One-way   | Time         | The mean values of the delay (in milliseconds)                 | 61.34              | None                     |  |
|         | transmission time)   | Ime          | The standard deviation of the delay (jitter) (in milliseconds) | 236.11             |                          |  |



