تقرير معايير جودة الخدمة لشركة الاتصالات السعودية

Report on STC Quality of Service Indicators





		General Key Performance Indicator	S					
KPI name	Measurement	ement KPI value						
	Unit	Required Statistics and description	10th month	10th month 11th month 12 month 4th Quarte		4th Quarter	_ Target value for quarter	
Supply Time	Time	fastest 50 % of orders are completed (in days)	0.2	0.1	0.2	0.2	7 days for 90% of requests	
		fastest 90 % of orders are completed (in days)	1	0.8	0.8	0.9		
		fastest 95 % of orders are completed (in days)	1.3	1	1	1.1		
		fastest 99 % of orders are completed (in days)	1.7	1.6	1.8	1.6		
Fault Rate	Percentage %	percentage of fault reports per fixed access line	4.59%	4.43%	4.44%	4.49%	< 5%	
raun Kate	Number	average number of fixed access lines	1,648,556	1,632,042	1,626,986	1,635,861		
		fastest 80 % of repairing valid faults on fixed access lines(in hours)	12.3	11.14	11.5	11.65	Within 24 hours for 90% of faults	
Fault Repair Time	Time	fastest 90 % of repairing valid faults on fixed access lines(in hours)	17.02	16.8	17.32	17.05		
		fastest 95 % of repairing valid faults on fixed access lines(in hours)	25.03	24.2	26.88	25.37		
		$\label{thm:continuous} The \ average \ time \ to \ respond \ to \ requests \ received \ through \ \ electronic \ channels, \ including \ e-mail,$	0:06:03	0:06:24	0:06:21	0:06:16		
Response Time for	Time	social media and others (in hours)		*****			within 60 sec	
Reply to Requests	1	The average time to respond to requests received through voice calls (in seconds)	00.00.5	00.00.8	00.00.9	00.00.7	for 85% of voice calls	
		Time to respond to the fastest 85% of requests received through voice calls (in seconds)	0	0	0	0		
		Key Performance Indicators Applied on Fixed	l Network	KS				
KPI name	Measurement	KPI value					Target value for quarter	
	method	Required Statistics and description	10th month	11th month	12 month	4th Quarter		
	D	unsuccessful calls for national calls	0.211%	0.194%	0.210%	0.205%		
U	Percentage %	unsuccessful calls for international calls	0.018%	0.024%	0.025%	0.022%	< 1%	
Unsuccessful Call Ratio	Number	Total number of national calls	84,987,066	104,829,047	107,396,479	99,070,864	-	
		Total number of International calls	4,855,326	, , , , , ,	4,047,901	4,449,061		
Dropped Call Rate	Percentage %	dropped calls, calculated from all the calls in the period	0.077%	0.086%	0.106%	0.09%	< 1%	
	Time	The mean value of call setup time for national calls (in seconds)		3.373	4.39		95 % in < 7 sec;	
		The time in which the fastest 95 % of national calls are set-up (in seconds)	3.419					
		The time which the fastest 99% of national calls are set-up (in seconds)						
Call Setup Time		The mean value of call setup time for international calls (in seconds)		4.37				
Cun Setup Time		The time which the fastest 95 % of international calls are set-up (in seconds)	4.37				99% in <10 sec	
		The time which the fastest 99 % of international calls are set-up (in seconds)						
	Number	The total number of national calls	84,987,066	104,829,047	107,396,479	99,070,864		
	21,000	The total Number of international calls	4,855,326	4,443,956	4,047,901	4,449,061		
Speech Connection Quality	Mean Opinion Score(MOS)	This value is obtained through special tool that analyzes the sound after it is transferred between the two ends of the connection	4.19	4.18	4.17	4.18	> 3,75 MOS	
		Key Performance Indicators Applied on Mobil	e Networ	ks				
		A. OSS Counters Measurments						
KPI name	Measurement	KPI value					Target value for quarter	
	method	Required Statistics and description	10th month	11th month	12 month	4th Quarter	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Unsuccessful Call Ratio	Percentage %	Unsuccessful calls, calculated from all the call attempts in the period	0.21%	0.21%	0.22%	0.21%	< 1%	
Dropped Call Ratio	Percentage %	dropped calls, calculated from all the calls in the period	0.29%	0.28%	0.28%	0.29%	< 1%	
Call Setup Time		The mean value of call setup time (in seconds)	4.54	4.56	4.65	4.58	95 % in < 7 sec;	
	Time	The time which the fastest 95 % of calls are set-up (in seconds)	4.30 4.34 4.39 4.34			,		
		The time which the fastest 99 % of calls are set-up (in seconds)	4.49	4.53	4.58	4.53	99% in <10 sec	
			107,501,798 107,834,914					

	K	ley Performa	nce Indicators Applied to Internet Ac	ccess (Fiber)		
Package	KPI name	Measurement	KPI value		_ Target value for quarter	
		method	Required Statistics and description	Q4	3 21 1 112 121 938010	
		Mbps	The highest 95 % of download speed	17.80		
			The lowest 5 % of download speed	2.17		
			The mean value of download speed	16.93		
			The median value of download speed	20.36		
	Data Transmission Speed		The standard deviation of download speed	8.09	None	
B	Data Transmission Speed		The highest 95 % of upload speed	2.84	None	
MB			The lowest 5 % of upload speed	0.19		
25			The mean value of upload speed	2.69		
7			The median value of upload speed	0.85		
			The standard deviation of upload speed	6.54		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in \mathbf{x}^{10-3})	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	20.49	None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	92.17		
	Data Transmission Speed	Mbps	The highest 95 % of download speed	35.13		
			The lowest 5 % of download speed	1.45	None	
			The mean value of download speed	33.44		
			The median value of download speed	35.58		
			The standard deviation of download speed	19.78		
8			The highest 95 % of upload speed	9.69		
Σ			The lowest 5 % of upload speed	0.27		
50 MB			The mean value of upload speed	9.22		
			The median value of upload speed	9.26		
			The standard deviation of upload speed	7.54		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in \mathbf{x}^{10-3})	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	17.70	- None	
	transmission time)	THIC	The standard deviation of the delay (jitter) (in milliseconds)	114.29	TOIR	

	Ke	y Performan	ce Indicators Applied to Internet Acc	cess (Copper)		
Package	KPI name	Measurement	KPI value		Target value for quarter	
		method	Required Statistics and description	Q4	, J	
		Mbps	The highest 95 % of download speed	6.07		
			The lowest 5 % of download speed	0.57		
			The mean value of download speed	5.79		
			The median value of download speed	6.03		
	Data Transmission Cross		The standard deviation of download speed	2.75	None	
8	Data Transmission Speed		The highest 95 % of upload speed	1.52	None	
10 MB			The lowest 5 % of upload speed	0.06		
0			The mean value of upload speed	1.45		
H			The median value of upload speed	0.35	None	
			The standard deviation of upload speed	6.00		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in \mathbf{x}^{10-3})	cannot be provided		
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	74.19	None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	240.21		
	Data Transmission Speed	d Mbps	The highest 95 % of download speed	9.17	None	
			The lowest 5 % of download speed	0.68		
			The mean value of download speed	8.75		
			The median value of download speed	8.11		
			The standard deviation of download speed	5.21		
8			The highest 95 % of upload speed	2.77		
20 MB			The lowest 5 % of upload speed	0.07		
			The mean value of upload speed	2.64		
			The median value of upload speed	0.65		
			The standard deviation of upload speed	6.98		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in \mathbf{x}^{10-3})	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	62.00	None	
	transmission time)	Time	The standard deviation of the delay (jitter) (in milliseconds)	207.31		

Shukran!



