تقرير معايير جودة الخدمة لشركة الاتصالات السعودية

Report on stc Quality of Service Indicators



		General Key Performance Indicat	tors					
Measurement KPI value								
KPI name	Unit					Target value for quarter		
	Ont	Required Statistics and description	4th month	5th month	6th month	2nd Quarter		
Supply Time	Time	fastest 50 % of orders are completed (in days)	0.2	0.1	0.2	0.2		
				0.6	0.8	0.7	7 days for 90% of requests	
		fastest 95 % of orders are completed (in days)	0.9	0.8	1	0.9		
		fastest 99 % of orders are completed (in days)	1.2	1.1	1.4	1.2		
Fault Rate Percentage %		percentage of fault reports per fixed access line	3.43%	3.65%	2.72%	3.27%	< 5%	
Fault Repair Time	Number	average number of fixed access lines	1,860,056	1,871,729	1,872,370	1,868,052		
	Time	fastest 80 % of repairing valid faults on fixed access lines(in hours)	14.99	16.98	13.43	15.13 22.45	Within 24 hours	
		fastest 90 % of repairing valid faults on fixed access lines(in hours)	22.42 31.2	25.42 34.99	<u>19.5</u> 28.04	31.41	for 90% of faults	
		fastest 95 % of repairing valid faults on fixed access lines(in hours)	51.2	34.99	28.04	51.41		
		The average time to respond to requests received through electronic channels, including e-mail, social media and others (in hours)	0:01:02	0:00:18	0:00:26	0:00:35		
Response Time for	Time	The average time to respond to requests received through voice calls (in seconds)	0:00:20	0:00:11	0:00:09	0:00:14	within 60 sec	
Reply to Requests		Time to respond to the fastest 85% of requests received through voice calls	0.19	0.04	0.00.09	0.08	for 85% of voice calls	
(in seconds) (in seconds) Key Performance Indicators Applied on Fixed Networks								
		V * *		72				
KPI name	Measurement	KPI value				Target value for quarter		
Ki i hame	method	Required Statistics and description	4th month	5th month	6th month	2nd Quarter		
	Percentage %	unsuccessful calls for national calls	0.11%	0.13%	0.14%	0.127%		
Unsuccessful Call Ratio		unsuccessful calls for international calls	0.41%	0.57%	0.53%	0.503%	< 1%	
Unsuccession Can Katto	Number	Total number of national calls	42,896,636	44,731,368	44,152,238	43,926,747	< 1 70	
		Total number of International calls	2,501,544	2,520,862	2,287,585	2,436,664		
Dropped Call Rate	Percentage %	dropped calls, calculated from all the calls in the period	0.11%	0.11%	0.12%	0.113%	<1%	
	Time	The mean value of call setup time for national calls (in seconds)	1.07	1.17	1.08			
		The time in which the fastest 95 % of national calls are set-up (in seconds)	0.88 0.96		0.89	0.910		
		The time which the fastest 99% of national calls are set-up (in seconds)	1.02 1.12		1.04	1.060	95 % in < 7 sec;	
Call Setup Time		The mean value of call setup time for international calls (in seconds)	1	1.14	1.09			
F		The time which the fastest 95 % of international calls are set-up (in seconds)	0.74 0.88		0.8	0.01	99% in <10 sec	
		The time which the fastest 99 % of international calls are set-up (in seconds)	0.95	1.08	1.03			
	Number	The total number of national calls	42,896,636	44,731,368	44,152,238	43,926,747		
		The total Number of international calls	2,501,544	2,520,862	2,287,585	2,436,664		
Speech Connection Quality	Mean Opinion Score(MOS)	This value is obtained through special tool that analyzes the sound after it is transferred between the two ends of the connection	3.88	3.86	3.83	3.86	> 3,75 MOS	
		Key Performance Indicators Applied on Mo	bile Networ	ks				
A. OSS Counters Measurments								
KPI name	Measurement	KPI value				Target value for guarter		
	method	Required Statistics and description	4th month	5th month	6th month	2nd Quarter	Target value for quarter	
Unsuccessful Call Ratio	Percentage %	Unsuccessful calls, calculated from all the call attempts in the period	0.26%	0.27%	0.31%	0.28%	< 1%	
Dropped Call Ratio	Percentage %	dropped calls, calculated from all the calls in the period	0.23%	0.24%	0.22%	0.23%	< 1%	
		The mean value of call setup time (in seconds)	5.00	4.94	4.76	4.90	95 % in < 7 sec;	
Call Setup Time	Time	The time which the fastest 95 % of calls are set-up (in seconds)	4.37	4.37	4.20	4.31		
		The time which the fastest 99 % of calls are set-up (in seconds)	4.77	4.72	4.56	4.68	99% in <10 sec	
	Number	Total number of calls	122,584,073	129,925,306	122,916,365	125,141,914		

Key Performance Indicators Applied to Internet Access (Fiber)						
Package	KPI name	Measurement	KPI value		Target value for quarter	
		method	Required Statistics and description	Q2		
		Mbps	The highest 95 % of download speed	67.87		
			The lowest 5 % of download speed	31.06		
			The mean value of download speed	65.93		
			The median value of download speed	70.21		
	Data Transmission Speed		The standard deviation of download speed	28.25	None	
B	Data Transmission Speed		The highest 95 % of upload speed	31.06	none	
100 MB			The lowest 5 % of upload speed	12.91		
9			The mean value of upload speed	30.10		
10			The median value of upload speed	30.80		
			The standard deviation of upload speed	10.15		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in x ¹⁰⁻³)	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	13.23	- None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	79.86		
	Data Transmission Speed	Mbps	The highest 95 % of download speed	177.80	None	
			The lowest 5 % of download speed	137.35		
			The mean value of download speed	175.62		
			The median value of download speed	181.61		
200 MB			The standard deviation of download speed	21.39		
			The highest 95 % of upload speed	71.17		
			The lowest 5 % of upload speed	54.79		
			The mean value of upload speed	70.29		
			The median value of upload speed	72.86		
			The standard deviation of upload speed	8.57		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in x ¹⁰⁻³)	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	15.47	None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	88.87		

Key Performance Indicators Applied to Internet Access (Copper)						
Package	KPI name	Measurement	KPI value		Target value for quarter	
		method	Required Statistics and description	Q2		
		Mbps	The highest 95 % of download speed	6.49		
			The lowest 5 % of download speed	0.73		
			The mean value of download speed	6.2		
			The median value of download speed	6.6		
	Data Transmission Speed		The standard deviation of download speed	2.75	None	
8	Data Transmission Speed		The highest 95 % of upload speed	3.2	INOILE	
10 MB			The lowest 5 % of upload speed	0.05		
0			The mean value of upload speed	3.04		
			The median value of upload speed	0.39		
			The standard deviation of upload speed	12.22		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in x ¹⁰⁻³)	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	64.44	= None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	275.05		
	Data Transmission Speed	Mbps	The highest 95 % of download speed	10.35	None	
			The lowest 5 % of download speed	0.81		
			The mean value of download speed	9.88		
			The median value of download speed	8.67		
20 MB			The standard deviation of download speed	6.24		
			The highest 95 % of upload speed	5.99		
			The lowest 5 % of upload speed	0.05		
			The mean value of upload speed	5.69		
			The median value of upload speed	0.67		
			The standard deviation of upload speed	14.7		
	Unsuccessful Data Transmission Ratio	Percentage %	Percentage of unsuccessful data transmission (in x ¹⁰⁻³)	cannot be provided	None	
	Delay (One-way	Time	The mean values of the delay (in milliseconds)	55.36	None	
	transmission time)		The standard deviation of the delay (jitter) (in milliseconds)	256.49		

Thank you!

SiC